

PAX-8 Recombinant antibody

Cat:B32125R

Company: Haokebio

Uniprot ID:Q06710

Applications: IHC:1:100-1:200

Organism:Rabbit

IHC-Polymer:1:400-1:800

Species reactivity:Human

TSA:1:500-1:1000

Background:

PAX-8 is a member of the PAX family of transcription factors and plays a crucial role in organogenesis during embryonic development. PAX-8 is expressed in normal thyroid glands and their associated tumors, as well as in the non-ciliated mucosal cells of fallopian tube and ovarian cysts. Clinically, PAX-8 can be used to differentiate primary renal epithelial tumors from metastatic tumors, and also to distinguish ovarian serous carcinoma from mucinous carcinoma and mesothelioma.

Protein full name:

paired box 8

Synonyms:

PAX-8, paired box 8, Paired box protein Pax 8, Paired box protein Pax-8, PAX 8

Immunogen:

Peptide

Isotype:

IgG

Subcellular location:

Nucleus

Purity:

Affinity purification

Form:

Liquid

Storage Buffer:


PBS with 0.02% sodium azide, 100 µg/ml BSA and 50% glycerol.

Storage:

Store at -20 °C for one year.

Experimental procedure:

Antigen retrieval: Citrate buffer (pH 9.0), Medium high heat for 8 minutes, stop for 7 minutes, medium high heat for 8 minutes. Incubate antibody, 4°C overnight. Secondary antibody: Poly-HRP Goat Anti-Rabbit & Mouse Universal Secondary Antibody, RT, 1h.

Images:


Sample: Human Serous cystadenocarcinoma of ovary tissue, 4% PFA 12-24h

Source of Reagents:

发表[中文论文]请标注:PAX-8(B32125R)由杭州浩克生物技术有限公司提供;

发表[英文论文]请标注:PAX-8(B32125R) were kindly provided by Hangzhou Haoke Biotechnology Co., Ltd.